FOREIGN TECHNOLOGY DIV WRIGHT-PATTERSON AFB OHIO COOLED WORKING BLADE OF A GAS TURBINE, (U) MAY 77 A A KANTSEPOLSKIY, S Z KOPELEV FTD-ID(RS)1-0673-77 AD-A045 435 F/6 21/5 UNCLASSIFIED END OF | DATE AD A045435 11 -77

FTD-ID(RS)I-0673-77

# 0

### FOREIGN TECHNOLOGY DIVISION




COOLED WORKING BLADE OF A GAS TURBINE

by

A. A. Kantsepol'skiy, S. Z. Kopelev





Approved for public release; distribution unlimited.

## EDITED TRANSLATION

AVAIL and/or SPECIAL

FTD-ID(RS)I-0673-77 4D-77-C-00052/ COOLED WORKING BLADE OF A GAS TURBINE 11 May 1977

By: A. A. Kantsepol'skiy, S. Z. Kopelev

English pages: 2

Source: USSR Patent Nr 333278, 21 March 1972

pp. 1-2.

Country of origin: USSR

Translated by: SrAmn Martin J. Folan

Requester: FTD/PDRS

Approved for public release, distribution unlimited

THIS TRANSLATION IS A RENDITION OF THE ORIGI-NAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DI-VISION.

PREPARED BY:

TRANSLATION DIVISION FOREIGN TECHNOLOGY DIVISION WP-AFB, OHIO.

#### U. S. BOARD ON GEOGRAPHIC NAMES TRANSLITERATION SYSTEM

Blo	ock	Italio	Transliteration	Block Italic	Transliteration
Α	a	A a	A, a	Pp Pp	R, r
6	б	5 6	B, b	C c C 6	S, s
В	В	B .	V, v	T T . T m	T, t
Γ	г	r .	G, g	уу <b>у</b> у	U, u
Д	д	Д д	D, d	Ф Ф ф	F, f
Е	е	E .	Ye, ye; E, e*	X × X x	Kh, kh
ж	ж	ж ж	Zh, zh	Цц 4 4	Ts, ts
3	3	3 ,	Z, z	4 4 4 4	Ch, ch
И	и	н и	I, 1	шшшш	Sh, sh
Й	й	A	Ү, у	Щщ Щ щ	Sheh, sheh
н	н	KK	K, k	b в в в	"
Л	л	ЛА	L, 1	ыы ы	Y, у
M	м	M M	M, m	b	•
Н	н	HN	N, n	3 a 9	Е, е
0	0	0 .	0, 0	Юю К	Yu, yu
п	п	П н	P, p	Яя Я я	Ya, ya

<sup>\*</sup>ye initially, after vowels, and after b, b; e elsewhere. When written as ë in Russian, transliterate as yë or ë. The use of diacritical marks is preferred, but such marks may be omitted when expediency dictates.

#### GREEK ALPHABET

Alpha	A	α	•	Nu	N	ν	
Beta	В	β		X1	Ξ	ξ	
Gamma	Г	Υ		Omicron	0	0	
Delta	Δ	δ		P1	П	π	
Epsilon	E	ε	•	Rho	P	ρ	•
Zeta	Z	ζ		Sigma	Σ	σ	•
Eta	Н	n		Tau	T	τ	
Theta	Θ	θ		Upsilon	T	· u	
Iota	I	1		Ph1	•	φ	•
Kappa	K	×	K .	Chi	X	X	
Lambda	٨	λ	god vi	Psi	Ψ	Ψ	
Mu	M	μ		Omega	Ω	w	

FIE-EV80-1(88) GI-GIV

#### RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English
sin	sin
cos	cos
tg	tan
ctg	cot
sec	sec
cosec	csc
sh	sinh
ch	cosh
th	tanh
cth	coth
sch	sech
csch	csch
arc sin	sin <sup>-1</sup>
arc cos	cos <sup>-1</sup>
arc tg	tan-1
arc ctg	cot-1
arc sec	sec-1
arc cosec	csc <sup>-1</sup>
arc sh	sinh <sup>-1</sup>
arc ch	cosh-1
arc th	tanh
arc cth	coth-1
arc sch	sech-1
arc csch	csch <sup>-1</sup>
IN.	
rot	curl
lg	log

#### GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

- Pin-In(Ro) 1-0672-77

#### COOLED WORKING BLADE OF A GAS TURBINE

A. A. Kantsepol'skiy, S. Z. Kopelev

Cooled working blades of a gas turbine with a root, for example, of the fir-tree type, in which there is an aperture for the supply of cooling air, are known.

The proposed blade differs from the known ones by the fact that on the edges of the root end continuous projections are made with transverse slots for a footing which fixes the blade in an axial direction.

This making of the blade decreased leakage of cooling air.

The described blade is illustrated in the drawing.


On the root 1 of the blade 2 two projections 3 are made on the edges of the end, on which a slot 4 is made for placing the footing 5 which fixes the blade in an axial direction.

These projections are made so that the gaps a and b are minimum and less than the gaps in the remaining part of the joint. Packing can be achieved with the aid of plates (instead of projections) inserted in the slot in the blade. Between the root and the disk 6 of the turbine a cavity is created, thanks to which

the cooling air, flowing through the aperture 7 in the disk cannot leak outside the rotor.

Subject of the Invention

A cooled working blade of a gas turbine with a root, for example of the fir-tree type, in which an aperture is made for supply of cooling air, is distinguished by the fact that for the purpose of decreasing the leakage of cooling air, continuous projections are made with transverse slots on the edges of the root end for a footing which fixes the blade in an axial direction.



UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION	READ INSTRUCTIONS BEFORE COMPLETING FORM				
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER			
FTD-ID(RS)I-0673-77					
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED			
COOLED WORKING BLADE OF A GAS	Translation				
		6. PERFORMING ORG. REPORT NUMBER			
7. AUTHOR(a)		8. CONTRACT OR GRANT NUMBER(s)			
A. A. Kantsepol'skiy, S. Z. K	opelev				
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS			
Foreign Technology Division Air Force Systems Command U. S. Air Force					
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE			
		21 March 1972			
		13. NUMBER OF PAGES			
14. MONITORING AGENCY NAME & ADDRESS(If differen	t from Controlline Office)	15. SECURITY CLASS. (of this report)			
		UNCLASSIFIED			
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE			
16. DISTRIBUTION STATEMENT (of this Report)					
Approved for public release; distribution unlimited  17. DISTRIBUTION STATEMENT (of the abatract entered in Block 20, 11 different from Report)					
18. SUPPLEMENTARY NOTES					
19. KEY WORDS (Continue on reverse side if necessary an	d identify by block number)				
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)					
21					

#### DISTRIBUTION LIST

#### DISTRIBUTION DIRECT TO RECIPIENT

ORGAN	IZATION	MICROFICHE	ORGAN	IZATION	MICROFICHE
A205	DMATC	1	E053	AF/INAKA	,
A210	DMAAC	2	E017	AF / RDXTR-W	
B344	DIA/RDS-3C	8	E404	AEDC	÷
CO43	USAMIIA	1	E408	AFWL	
C509	BALLISTIC RES LABS	ī	E410	ADTC	1
C510	AIR MOBILITY R&D	ī	E413		1
0,10	LAB/FIO		E413	ESD	2
C513	PICATINNY ARSENAL			FTD	
				CCN	1
C535	AVIATION SYS COMD	1		ETID	3
C557	USAIIC	1		NIA/PHS	1
C591	FSTC	5		NICD	5
C619	MIA PEDSTONE	1			
D008	NISC	1			
H300	USAICE (USAREUR)	1			
P005	ERDA				
	CIA/CRS/ADD/SD	i			
	DSTA (50L)	1			
	NSCEN (Code 121)	ī			
NASA/		1			
AFIT/	LD	1			